

832**Price/Sales Catalog****Functional Group=SC****Baxter Note::***These specifications provide the format Baxter Healthcare Corporation uses to provide customized net price lists to its hospital customers.***Heading:**

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
02	ST	Transaction Set Header	M	1			Must use
03	BCT	Beginning Segment (Price/Sales Catalog)	M	1			Must use
08	DTM	Date/Time Reference	O	10			Used

LOOP ID - N1**200**

10	N1	Name	O	1			Used
----	----	------	---	---	--	--	------

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
------------	-----------	---------------------	------------	----------------	---------------	--------------	--------------

LOOP ID - LIN**700000**

21	LIN	Item Identification Detail	M	1			Must use
22	SLN	Subline Item Detail	O	100			Used
23	DTM	Date/Time Reference	O	10			Used
25	REF	Reference Numbers	O	12			Used

LOOP ID - N1**200**

27	N1	Name	O	1			Used
34	PID	Product/Item Description	O	200			Used

LOOP ID - CTP**25**

39	CTP	Pricing Information	O	1			Used
----	-----	---------------------	---	---	--	--	------

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
47	CTT	Transaction Totals	M	1			Must use
48	SE	Transaction Set Trailer	M	1			Must use

ST

Transaction Set Header

Pos: 02	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

To indicate the start of a transaction set and to assign a control number

Comments:

- The transaction set identifier (ST01) is intended for use by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the invoice transaction set).

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
ST01	143	Transaction Set Identifier Description: Code uniquely identifying a Transaction Set.	M	ID	3/3	Must use				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>832</td> <td>X12.13 Price/Sales Catalog</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	832	X12.13 Price/Sales Catalog				
<u>Code</u>	<u>Name</u>									
832	X12.13 Price/Sales Catalog									
ST02	329	Transaction Set Control Number Description: Identifying control number assigned by the originator for a Transaction Set. Also see: Data Interchange Control Number (28.)	M	AN	4/9	Must use				

BCT Beginning Segment (Price/Sales Catalog)

Pos: 03	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 9

To indicate the beginning of the price/sales catalog transaction set and to specify catalog purpose and number information.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
BCT01	683	Catalog Purpose Description: Code indicating purpose of catalog.	M	ID	2/2	Must use				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>PC</td> <td>Price Catalog</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	PC	Price Catalog				
<u>Code</u>	<u>Name</u>									
PC	Price Catalog									
BCT02	684	Catalog Number Description: Identifying number for catalog or superseded catalog. Baxter Note:: <i>This field will contain a Baxter-specific unique price list identifier for each 832 Price/Sales Catalog.</i>	M	AN	1/15	Must use				
X BCT03	685	Catalog Version Number Description: Identifying version number of catalog or superseded catalog.	O	AN	1/15	Not used				
X BCT04	686	Catalog Revision Number Description: Identifying revision number of catalog or superseded catalog.	O	AN	1/6	Not used				
X BCT05	355	Unit of Measurement Code Description: Code identifying the basic unit measurement. All valid X12 codes are used.	O	ID	2/2	Not used				
X BCT06	684	Catalog Number Description: Identifying number for catalog or superseded catalog.	O	AN	1/15	Not used				
X BCT07	685	Catalog Version Number Description: Identifying version number of catalog or superseded catalog.	O	AN	1/15	Not used				
X BCT08	686	Catalog Revision Number Description: Identifying revision number of catalog or superseded catalog.	O	AN	1/6	Not used				
X BCT09	352	Description Description: A free-form description to clarify the related data elements and their content.	O	AN	1/80	Not used				

DTM Date/Time Reference

Pos: 08	Max: 10
Heading - Optional	
Loop: N/A	Elements: 4

To specify pertinent dates and times

Syntax:

At least one of DTM02 or DTM03 must be present.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
DTM01	374	Date/Time Qualifier Description: Code specifying type of date or time.	M	ID	3/3	Must use				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>009</td> <td>Process Date/Time</td> </tr> </tbody> </table> <p>Baxter Note:: This is the date on which the 832 Price/Sales Catalog Transaction was created by Baxter Healthcare's internal pricing system. It does not specify any pricing effective or expiration dates.</p>	<u>Code</u>	<u>Name</u>	009	Process Date/Time				
<u>Code</u>	<u>Name</u>									
009	Process Date/Time									
DTM02	373	Date Description: Date (YYMMDD). Also see: Date Qualifier (432).	C	DT	6/6	Used				
X DTM03	337	Time Description: Time expressed in 24-hour clock time (HHMM) (Time range: 0000 though 2359). Also see: Time Qualifier (176).	C	TM	4/4	Not used				
X DTM04	623	Time Zone Qualifier Description: Code identifying the time zone of the reporting time in data element 161. All valid X12 codes are used.	O	ID	2/2	Not used				

N1

Name

Pos: 10	Max: 1
Heading - Optional	
Loop: N1	Elements: 4

To identify a party by type of organization, name and code

Syntax:

At least one of N102 or N103 must be present. If either N103 or N104 is present, then the other is required.

Comments:

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>						
N101	98	Organization Identifier Description: Code identifying the type of party being defined.	M	ID	2/2	Must use						
		<table border="0"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>SO</td> <td>Sold To if different than Bill To</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	SO	Sold To if different than Bill To						
<u>Code</u>	<u>Name</u>											
SO	Sold To if different than Bill To											
X N102	93	Name Description: Free-form organization name, official title, or related information.	C	AN	1/35	Not used						
N103	66	Identification Code Qualifier Description: Code designating the system/method of code structure used for Identification Code (67).	C	ID	1/2	Used						
		<table border="0"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>21</td> <td>Health Care Industry I.D. Number Baxter Note:: <i>This is the Health Industry Number (HIN) assigned to the hospital by the Health Industry Business Communications Council. It will be provided only for customers that are subscribers to the HIN database.</i></td> </tr> <tr> <td>91</td> <td>Assigned by Seller or Seller's Agent Baxter Note:: <i>This is the Baxter Healthcare Bill-to customer number.</i></td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	21	Health Care Industry I.D. Number Baxter Note:: <i>This is the Health Industry Number (HIN) assigned to the hospital by the Health Industry Business Communications Council. It will be provided only for customers that are subscribers to the HIN database.</i>	91	Assigned by Seller or Seller's Agent Baxter Note:: <i>This is the Baxter Healthcare Bill-to customer number.</i>				
<u>Code</u>	<u>Name</u>											
21	Health Care Industry I.D. Number Baxter Note:: <i>This is the Health Industry Number (HIN) assigned to the hospital by the Health Industry Business Communications Council. It will be provided only for customers that are subscribers to the HIN database.</i>											
91	Assigned by Seller or Seller's Agent Baxter Note:: <i>This is the Baxter Healthcare Bill-to customer number.</i>											
N104	67	Identification Code Description: Code identifying one of the parties in the transaction. See Identification Code Qualifier (66).	C	ID	2/17	Used						

LIN Item Identification Detail

Pos: 21	Max: 1
Detail - Mandatory	
Loop: LIN	Elements: 31

To specify basic item identification data.

Syntax:

If LIN04 is present, then LIN05 is required. If LIN06 is present, then LIN07 is required. If LIN08 is present, then LIN09 is required. If LIN10 is present, then LIN11 is required. If LIN12 is present, then LIN13 is required. If LIN14 is present, then LIN15 is required. If LIN16 is present, then LIN17 is required. If LIN18 is present, then LIN19 is required. If LIN20 is present, then LIN21 is required. If LIN22 is present, then LIN23 is required. If LIN24 is present, then LIN25 is required. If LIN26 is present, then LIN27 is required. If LIN28 is present, then LIN29 is required. If LIN30 is present, then LIN31 is required.

Comments:

- LIN02 through LIN31 provide for fifteen (15) different product/service ID's for each item. For Example: Case, Color, Drawing No., UPC No., ISBN No., Model No., SKU. See the Data Dictionary for a complete list of ID's.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
LIN01	666	Line Item Number Description: Identifying number for a line item.	O	AN	1/6	Used				
LIN02	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234).	M	ID	2/2	Must use				
		<table border="0"> <tr> <td style="text-align: center;"><u>Code</u></td> <td style="text-align: center;"><u>Name</u></td> </tr> <tr> <td style="text-align: center;">VC</td> <td>Vendor's (Seller's) Catalog Number</td> </tr> </table>	<u>Code</u>	<u>Name</u>	VC	Vendor's (Seller's) Catalog Number				
<u>Code</u>	<u>Name</u>									
VC	Vendor's (Seller's) Catalog Number									
LIN03	234	Product/Service ID Description: Identifying number for a product or service. Baxter Note:: <i>Product will be identified using Baxter's item number.</i>	M	AN	1/30	Must use				
X LIN04	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used				
X LIN05	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used				
X LIN06	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used				
X LIN07	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used				
X LIN08	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used				

Hospital Custom Price List

Price/Sales Catalog - 832

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
X LIN09	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X LIN10	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X LIN11	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X LIN12	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X LIN13	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X LIN14	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X LIN15	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X LIN16	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X LIN17	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X LIN18	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X LIN19	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X LIN20	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X LIN21	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X LIN22	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X LIN23	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X LIN24	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234).	O	ID	2/2	Not used

Hospital Custom Price List

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		All valid X12 codes are used.				
X LIN25	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X LIN26	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234).	O	ID	2/2	Not used
		All valid X12 codes are used.				
X LIN27	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X LIN28	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234).	O	ID	2/2	Not used
		All valid X12 codes are used.				
X LIN29	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X LIN30	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234).	O	ID	2/2	Not used
		All valid X12 codes are used.				
X LIN31	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used

SLN Subline Item Detail

Pos: 22	Max: 100
Detail - Optional	
Loop: LIN	Elements: 28

To specify product subline detail item data

Syntax:

If SLN06 is present, then SLN08 is required. If SLN07 is present, then SLN06 is required. If SLN09 is present, then SLN10 is required. If SLN11 is present, then SLN12 is required. If SLN13 is present, then SLN14 is required. If SLN15 is present, then SLN16 is required. If SLN17 is present, then SLN18 is required. If SLN19 is present, then SLN20 is required. If SLN21 is present, then SLN22 is required. If SLN23 is present, then SLN24 is required. If SLN25 is present, then SLN26 is required. If SLN27 is present, then SLN28 is required.

Comments:

- SLN03 through SLN28 provide for eleven (11) different product/service ID's for each item. For example: Case, Color, Drawing No., UPC No., ISBN No., Model No., SKU. See the Data Dictionary for a complete list of ID's.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
SLN01	659	Subline Number Description: Identifying number for the subline item. Related to (but not necessarily equivalent to) the baseline item number. Example: 1.1 or 1A might be used as a subline number to relate to base-line number 1.	M	AN	1/6	Must use				
X SLN02	660	Subline Level Description: The subline level is analogous to the level code used in a bill of materials.	O	AN	1/2	Not used				
SLN03	661	Configuration Code Description: Code indicating whether the subline item is included in, added to, or deleted from the baseline item configuration.	M	ID	1/1	Must use				
		<table border="0"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>I</td> <td>Included in the Configuration</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	I	Included in the Configuration				
<u>Code</u>	<u>Name</u>									
I	Included in the Configuration									
SLN04	380	Quantity Description: Numeric value of Quantity. Also see: Unit of Measurement Code (355). Baxter Note:: <i>Default value is 1.</i>	M	R	1/10	Must use				
SLN05	355	Unit of Measurement Code Description: Code identifying the basic unit measurement.	M	ID	2/2	Must use				
		<table border="0"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>CA</td> <td>Case</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	CA	Case				
<u>Code</u>	<u>Name</u>									
CA	Case									
X SLN06	212	Unit Price Description: Price per unit of product, service, commodity, etc.	C	R	1/14	Not used				
X SLN07	639	Basis of Unit Price Code	O	ID	2/2	Not				

Hospital Custom Price List

Price/Sales Catalog - 832

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Code defining the type of price indicated for an item. All valid X12 codes are used.				used
X SLN08	662	Subline Price Change Code ID Description: Code indicating whether the price of the subline item is included in, added to, or subtracted from the baseline item unit price. All valid X12 codes are used.	C	ID	1/1	Not used
X SLN09	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X SLN10	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X SLN11	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X SLN12	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X SLN13	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X SLN14	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X SLN15	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X SLN16	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X SLN17	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X SLN18	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X SLN19	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X SLN20	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X SLN21	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X SLN22	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used

Hospital Custom Price List

Price/Sales Catalog - 832

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
X SLN23	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X SLN24	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X SLN25	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X SLN26	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
X SLN27	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid X12 codes are used.	O	ID	2/2	Not used
X SLN28	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used

DTM Date/Time Reference

Pos: 23	Max: 10
Detail - Optional	
Loop: LIN	Elements: 4

To specify pertinent dates and times

Syntax:

At least one of DTM02 or DTM03 must be present.

Baxter Note::

There will be two occurrences of the DTM segment to specify both effective and expiration dates for the product/price.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>						
DTM01	374	Date/Time Qualifier Description: Code specifying type of date or time.	M	ID	3/3	Must use						
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>007</td> <td>Effective Date/Time Baxter Note:: <i>Date on which price becomes effective.</i></td> </tr> <tr> <td>036</td> <td>Expiration Date/Time Baxter Note:: <i>Date on which price expires.</i></td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	007	Effective Date/Time Baxter Note:: <i>Date on which price becomes effective.</i>	036	Expiration Date/Time Baxter Note:: <i>Date on which price expires.</i>				
<u>Code</u>	<u>Name</u>											
007	Effective Date/Time Baxter Note:: <i>Date on which price becomes effective.</i>											
036	Expiration Date/Time Baxter Note:: <i>Date on which price expires.</i>											
DTM02	373	Date Description: Date (YYMMDD). Also see: Date Qualifier (432).	C	DT	6/6	Used						
X DTM03	337	Time Description: Time expressed in 24-hour clock time (HHMM) (Time range: 0000 though 2359). Also see: Time Qualifier (176).	C	TM	4/4	Not used						
X DTM04	623	Time Zone Qualifier Description: Code identifying the time zone of the reporting time in data element 161. All valid X12 codes are used.	O	ID	2/2	Not used						

REF Reference Numbers

Pos: 25	Max: 12
Detail - Optional	
Loop: LIN	Elements: 3

To transmit identifying numbers associated with the named party

Syntax:

At least one of REF02 or REF03 must be present.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
REF01	128	Reference Number Qualifier Description: Code qualifying the Reference Number.	M	ID	2/2	Must use				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>CT</td> <td>Contract Number</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	CT	Contract Number				
<u>Code</u>	<u>Name</u>									
CT	Contract Number									
REF02	127	Reference Number Description: Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier. Also see Reference Number Qualifier, (128). Baxter Note:: <i>This field will contain Baxter's Agreement ID (contract number).</i>	C	AN	1/30	Used				
X REF03	352	Description Description: A free-form description to clarify the related data elements and their content.	C	AN	1/80	Not used				

N1

Name

Pos: 27	Max: 1
Detail - Optional	
Loop: N1	Elements: 4

To identify a party by type of organization, name and code

Syntax:

At least one of N102 or N103 must be present. If either N103 or N104 is present, then the other is required.

Comments:

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
N101	98	Organization Identifier Description: Code identifying the type of party being defined.	M	ID	2/2	Must use				
		<table border="0"> <tr> <td style="text-align: center;"><u>Code</u></td> <td style="text-align: center;"><u>Name</u></td> </tr> <tr> <td style="text-align: center;">MF</td> <td style="text-align: center;">Manufacturer of Goods</td> </tr> </table>	<u>Code</u>	<u>Name</u>	MF	Manufacturer of Goods				
<u>Code</u>	<u>Name</u>									
MF	Manufacturer of Goods									
N102	93	Name Description: Free-form organization name, official title, or related information. Baxter Note:: <i>The name of the Baxter business unit which manufactures the product identified in the LIN segment.</i>	C	AN	1/35	Used				
X N103	66	Identification Code Qualifier Description: Code designating the system/method of code structure used for Identification Code (67). All valid X12 codes are used.	C	ID	1/2	Not used				
X N104	67	Identification Code Description: Code identifying one of the parties in the transaction. See Identification Code Qualifier (66).	C	ID	2/17	Not used				

PID Product/Item Description

Pos: 34	Max: 200
Detail - Optional	
Loop: LIN	Elements: 6

To describe a product in coded or free-form format

Syntax:

If PID03 is present, then PID04 is required. At least one of PID04 or PID05 must be present.

Comments:

- PID04 should be used for industry-specific product description codes. Use PID03 to indicate the organization that publishes the code list being referred to. Use PID06 when necessary to refer to the product surface or layer being described in the segment.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
PID01	349	Item Description Type Description: Code indicating the format of a description.	M	ID	1/1	Must use				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>F</td> <td>Free-form</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	F	Free-form				
<u>Code</u>	<u>Name</u>									
F	Free-form									
X PID02	750	Product Characteristic Code Description: Code specifying the product characteristic being described. All valid X12 codes are used.	O	ID	2/3	Not used				
X PID03	348	Item Description Qualifier Description: Code identifying agency responsible for the code used. All valid X12 codes are used.	O	ID	2/2	Not used				
X PID04	751	Product Description Code Description: A code from an industry code list which provides specific data about a product characteristic. Also see: Item Description Qualifier (348).	C	ID	1/7	Not used				
PID05	352	Description Description: A free-form description to clarify the related data elements and their content. Baxter Note:: <i>Baxter's internal product description.</i>	C	AN	1/80	Used				
X PID06	752	Surface/Layer Indicator Description: Code indicating the product surface or layer that is being described. All valid X12 codes are used.	O	ID	2/2	Not used				

CTP Pricing Information

Pos: 39	Max: 1
Detail - Optional	
Loop: CTP	Elements: 7

To specify pricing information

Syntax:

If CTP02 is present, then CTP03 is required. If CTP04 is present, then CTP05 is required. If CTP06 is present, then CTP07 is required.

Comments:

- Example of use of CTP03 and CTP04. PRICE QUANTITY RANGE 1.00 0 to 9990.75 1000 to 4999 CATALOG 0.50 5000 to 9999
VALUES 0.25 10000 and above CTP03 CTP04 1.00 00.75 10000.50 50000.25 10000 Example of use of CTP03, CTP04 and CTP07. CTP03
CTP04 CTP07 1.00 0 0.90 0.75 1000 0.90 0.50 5000 0.90 0.25 10000 0.90 CTP07 is a multiplier factor to arrive at a final discounted
price. A multiplier of 90 would be the factor if a 10% discount is given.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
X CTP01	687	Class of Trade Description: Code structure used to describe the class of trade. All valid X12 codes are used.	O	ID	2/2	Not used
X CTP02	236	Price Qualifier Description: Code identifying pricing specification. All valid X12 codes are used.	O	ID	3/3	Not used
CTP03	212	Unit Price Description: Price per unit of product, service, commodity, etc. Baxter Note:: Price will be the current Baxter contract price. Price amount will have 4 decimal places.	C	R	1/14	Used
CTP04	380	Quantity Description: Numeric value of Quantity. Also see: Unit of Measurement Code (355). Baxter Note:: Default value is 1.	O	R	1/10	Used
CTP05	355	Unit of Measurement Code Description: Code identifying the basic unit measurement.	C	ID	2/2	Used
		<u>Code</u> <u>Name</u>				
		CA Case				
X CTP06	648	Price Multiplier ID Description: Code structure used to describe the types of price multiplier. All valid X12 codes are used.	O	ID	3/3	Not used
X CTP07	649	Multiplier Description: Value to be used to multiply price to obtain new value identified by price multiplier I.D.	C	R	1/10	Not used

CTT Transaction Totals

Pos: 47	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 7

To transmit a hash total for a specific element in the transaction set

Syntax:

If CTT03 is present, then CTT04 is required. If CTT05 is present, then CTT06 is required.

Comments:

1. This segment is intended to provide hash totals to validate transaction completeness and correctness.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items Description: Total number of line items in the transaction set.	M	N0	1/6	Must use
X CTT02	347	Hash Total Description: Sum of values of the specific data element.	O	R	1/10	Not used
X CTT03	81	Weight Description: Numeric value of weight. Also see: Weight Qualifier (187), Weight Unit Qualifier (188), Unit of Measurement Code (355.)	O	R	1/8	Not used
X CTT04	355	Unit of Measurement Code Description: Code identifying the basic unit measurement. All valid X12 codes are used.	C	ID	2/2	Not used
X CTT05	183	Volume Description: Value of volumetric measure. Also see: Volume Unit Qualifier (184), Unit of Measurement Code (355.)	O	R	1/8	Not used
X CTT06	355	Unit of Measurement Code Description: Code identifying the basic unit measurement. All valid X12 codes are used.	C	ID	2/2	Not used
X CTT07	352	Description Description: A free-form description to clarify the related data elements and their content.	O	AN	1/80	Not used

SE

Transaction Set Trailer

Pos: 48	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning and ending (SE) segment)

Comments:

- SE is the last segment of each transaction set.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments Description: Total number of segments included in a transaction set including ST and SE segments.	M	N0	1/6	Must use
SE02	329	Transaction Set Control Number Description: Identifying control number assigned by the originator for a Transaction Set. Also see: Data Interchange Control Number (28.)	M	AN	4/9	Must use