

832**Price/Sales Catalog****Functional Group=SC**

This Draft Standard for Trial Use contains the format and establishes the data contents of the Price Sales Catalog Transaction Set (832) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to furnishing or requesting the price of goods or services in the form of a catalog.

Notes:

3/010 Number of line items (CTT01) is the accumulation of the number of LIN segments. Hash total (CTT02) is not used in this transaction.

Baxter Note:

These specifications provide the format Baxter Healthcare Corporation uses to provide customized net price lists to its hospital customers.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BCT	Beginning Segment for Price/Sales Catalog	M	1			Must use
070	DTM	Date/Time Reference	O	10			Used
LOOP ID - N1					200		
150	N1	Name	O	1			Used
201	DTM	Date/Time Reference	O	10			Used

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID - LIN					700000		
010	LIN	Item Identification	O	1			Must use
020	SLN	Subline Item Detail	O	100			Used
030	DTM	Date/Time Reference	O	10			Used
040	REF	Reference Numbers	O	12			Used
070	PID	Product/Item Description	O	200			Used
LOOP ID - CTP					100		
170	CTP	Pricing Information	O	1			Used
LOOP ID - N1					200		
230	N1	Name	O	1			Used

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	CTT	Transaction Totals	M	1		N3/010	Must use
020	SE	Transaction Set Trailer	M	1			Must use

ST

Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

To indicate the start of a transaction set and to assign a control number

Semantics:

- The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the invoice transaction set).

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
ST01	143	Transaction Set Identifier Code Description: Code uniquely identifying a Transaction Set.	M	ID	3/3	Must use				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>832</td> <td>X12.13 Price/Sales Catalog</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	832	X12.13 Price/Sales Catalog				
<u>Code</u>	<u>Name</u>									
832	X12.13 Price/Sales Catalog									
ST02	329	Transaction Set Control Number Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M	AN	4/9	Must use				

BCT

Beginning Segment for Price/Sales Catalog

Pos: 020 Max: 1
Heading - Mandatory
Loop: N/A Elements: 10

To indicate the beginning of the price/sales catalog transaction set and to specify catalog purpose and number information.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
BCT01	683	Catalog Purpose Code Description: Code indicating purpose of catalog.	M	ID	2/2	Must use				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>PC</td> <td>Price Catalog</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	PC	Price Catalog				
<u>Code</u>	<u>Name</u>									
PC	Price Catalog									
BCT02	684	Catalog Number Description: Identifying number for catalog or superseded catalog. Baxter Note: <i>This field will contain a Baxter-specific unique price list identifier for each 832 Price/Sales Catalog.</i>	O	AN	1/15	Must use				
* BCT03	685	Catalog Version Number Description: Identifying version number of catalog or superseded catalog.	O	AN	1/15	Not used				
* BCT04	686	Catalog Revision Number Description: Identifying revision number of catalog or superseded catalog.	O	AN	1/6	Not used				
* BCT05	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken All valid standard codes are used.	O	ID	2/2	Not used				
* BCT06	684	Catalog Number Description: Identifying number for catalog or superseded catalog.	O	AN	1/15	Not used				
* BCT07	685	Catalog Version Number Description: Identifying version number of catalog or superseded catalog.	O	AN	1/15	Not used				
* BCT08	686	Catalog Revision Number Description: Identifying revision number of catalog or superseded catalog.	O	AN	1/6	Not used				
* BCT09	352	Description Description: A free-form description to clarify the related data elements and their content.	O	AN	1/80	Not used				
BCT10	353	Transaction Set Purpose Code Description: Code identifying purpose of transaction set.	O	ID	2/2	Used				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>00</td> <td>Original</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	00	Original				
<u>Code</u>	<u>Name</u>									
00	Original									

DTM Date/Time Reference

Pos: 070	Max: 10
Heading - Optional	
Loop: N/A	Elements: 5

To specify pertinent dates and times

Syntax:

- DTM02 R0203 -- At least one of DTM02 or DTM03 is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
DTM01	374	Date/Time Qualifier Description: Code specifying type of date or time, or both date and time.	M	ID	3/3	Must use				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>009</td> <td>Process</td> </tr> </tbody> </table> <p>Baxter Note: This is the date on which the 832 Price/Sales Catalog Transaction was created by Baxter Healthcare's internal pricing system. It does not specify any pricing effective or expiration dates.</p>	<u>Code</u>	<u>Name</u>	009	Process				
<u>Code</u>	<u>Name</u>									
009	Process									
DTM02	373	Date Description: Date (YYMMDD).	C	DT	6/6	Used				
* DTM03	337	Time Description: Time expressed in 24-hour clock time (HHMMSS) (Time range: 000000 through 235959)	C	TM	4/6	Not used				
* DTM04	623	Time Code Description: Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time. Since + is a restricted character, + and - are substituted by P and M in the codes that follow. All valid standard codes are used.	O	ID	2/2	Not used				
* DTM05	624	Century Description: The first two characters in the designation of the year (CCYY).	O	N0	2/2	Not used				

N1

Name

Pos: 150	Max: 1
Heading - Optional	
Loop: N1	Elements: 4

To identify a party by type of organization, name and code

Syntax:

1. N102 R0203 -- At least one of N102 or N103 is required.
2. N103 P0304 -- If either N103 or N104 are present, then the others are required.

Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>									
N101	98	Entity Identifier Code Description: Code identifying an organizational entity, a physical location, or an individual	M	ID	2/2	Must use									
		<table border="0"> <tr> <td></td> <td style="text-align: center;"><u>Code</u></td> <td style="text-align: center;"><u>Name</u></td> </tr> <tr> <td></td> <td style="text-align: center;">SO</td> <td style="text-align: center;">Sold To If Different From Bill To</td> </tr> </table>		<u>Code</u>	<u>Name</u>		SO	Sold To If Different From Bill To							
	<u>Code</u>	<u>Name</u>													
	SO	Sold To If Different From Bill To													
* N102	93	Name Description: Free-form name.	C	AN	1/35	Not used									
N103	66	Identification Code Qualifier Description: Code designating the system/method of code structure used for Identification Code (67).	C	ID	1/2	Used									
		<table border="0"> <tr> <td></td> <td style="text-align: center;"><u>Code</u></td> <td style="text-align: center;"><u>Name</u></td> </tr> <tr> <td></td> <td style="text-align: center;">21</td> <td style="text-align: center;">Health Industry I.D. Number (HIN) Baxter Note: <i>This is the Health Industry Number (HIN) assigned to the hospital by the Health Industry Business Communications Council. It will be provided only for customers that are subscribers to the HIN database.</i></td> </tr> <tr> <td></td> <td style="text-align: center;">91</td> <td style="text-align: center;">Assigned by Seller or Seller's Agent Baxter Note: <i>This is the Baxter Healthcare Bill-to customer number.</i></td> </tr> </table>		<u>Code</u>	<u>Name</u>		21	Health Industry I.D. Number (HIN) Baxter Note: <i>This is the Health Industry Number (HIN) assigned to the hospital by the Health Industry Business Communications Council. It will be provided only for customers that are subscribers to the HIN database.</i>		91	Assigned by Seller or Seller's Agent Baxter Note: <i>This is the Baxter Healthcare Bill-to customer number.</i>				
	<u>Code</u>	<u>Name</u>													
	21	Health Industry I.D. Number (HIN) Baxter Note: <i>This is the Health Industry Number (HIN) assigned to the hospital by the Health Industry Business Communications Council. It will be provided only for customers that are subscribers to the HIN database.</i>													
	91	Assigned by Seller or Seller's Agent Baxter Note: <i>This is the Baxter Healthcare Bill-to customer number.</i>													
N104	67	Identification Code Description: Code identifying a party or other code.	C	AN	2/17	Used									

DTM Date/Time Reference

Pos: 201	Max: 10
Heading - Optional	
Loop: N1	Elements: 5

To specify pertinent dates and times

Syntax:

- DTM02 R0203 -- At least one of DTM02 or DTM03 is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	Date/Time Qualifier Description: Code specifying type of date or time, or both date and time. All valid standard codes are used.	M	ID	3/3	Must use
DTM02	373	Date Description: Date (YYMMDD).	C	DT	6/6	Used
DTM03	337	Time Description: Time expressed in 24-hour clock time (HHMMSS) (Time range: 000000 through 235959)	C	TM	4/6	Used
DTM04	623	Time Code Description: Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time. Since + is a restricted character, + and - are substituted by P and M in the codes that follow. All valid standard codes are used.	O	ID	2/2	Used
DTM05	624	Century Description: The first two characters in the designation of the year (CCYY).	O	N0	2/2	Used

LIN Item Identification

Pos: 010	Max: 1
Detail - Optional	
Loop: LIN	Elements: 31

To specify basic item identification data.

Syntax:

1. LIN04 C0405 -- If LIN04 is present, then LIN05 is required
2. LIN06 C0607 -- If LIN06 is present, then LIN07 is required
3. LIN08 C0809 -- If LIN08 is present, then LIN09 is required
4. LIN10 C1011 -- If LIN10 is present, then LIN11 is required
5. LIN12 C1213 -- If LIN12 is present, then LIN13 is required
6. LIN14 C1415 -- If LIN14 is present, then LIN15 is required
7. LIN16 C1617 -- If LIN16 is present, then LIN17 is required
8. LIN18 C1819 -- If LIN18 is present, then LIN19 is required
9. LIN20 C2021 -- If LIN20 is present, then LIN21 is required
10. LIN22 C2223 -- If LIN22 is present, then LIN23 is required
11. LIN24 C2425 -- If LIN24 is present, then LIN25 is required
12. LIN26 C2627 -- If LIN26 is present, then LIN27 is required
13. LIN28 C2829 -- If LIN28 is present, then LIN29 is required
14. LIN30 C3031 -- If LIN30 is present, then LIN31 is required

Semantics:

1. LIN01 is the line item identification

Comments:

1. See the Data Dictionary for a complete list of ID's.
2. LIN02 through LIN31 provide for fifteen (15) different product/service ID's for each item. For Example: Case, Color, Drawing No., UPC No., ISBN No., Model No., SKU.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
LIN01	350	Assigned Identification Description: Alphanumeric characters assigned for differentiation within a transaction set.	O	AN	1/11	Used				
LIN02	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234).	M	ID	2/2	Must use				
		<table border="0"> <tr> <td style="text-align: center;"><u>Code</u></td> <td style="text-align: center;"><u>Name</u></td> </tr> <tr> <td style="text-align: center;">VC</td> <td>Vendor's (Seller's) Catalog Number</td> </tr> </table>	<u>Code</u>	<u>Name</u>	VC	Vendor's (Seller's) Catalog Number				
<u>Code</u>	<u>Name</u>									
VC	Vendor's (Seller's) Catalog Number									
LIN03	234	Product/Service ID Description: Identifying number for a product or service.	M	AN	1/30	Must use				
		Baxter Note: <i>Product will be identified using Baxter's item number.</i>								
* LIN04	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used				

Hospital Custom Price List

Price/Sales Catalog - 832

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
* LIN05	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* LIN06	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* LIN07	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* LIN08	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* LIN09	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* LIN10	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* LIN11	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* LIN12	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* LIN13	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* LIN14	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* LIN15	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* LIN16	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* LIN17	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* LIN18	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* LIN19	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* LIN20	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234).	O	ID	2/2	Not used

Hospital Custom Price List

Price/Sales Catalog - 832

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		All valid standard codes are used.				
* LIN21	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* LIN22	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* LIN23	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* LIN24	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* LIN25	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* LIN26	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* LIN27	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* LIN28	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* LIN29	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* LIN30	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* LIN31	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used

SLN Subline Item Detail

Pos: 020	Max: 100
Detail - Optional	
Loop: LIN	Elements: 28

To specify product subline detail item data

Syntax:

1. SLN07 C0706 -- If SLN07 is present, then SLN06 is required
2. SLN08 C0806 -- If SLN08 is present, then SLN06 is required
3. SLN09 C0910 -- If SLN09 is present, then SLN10 is required
4. SLN11 C1112 -- If SLN11 is present, then SLN12 is required
5. SLN13 C1314 -- If SLN13 is present, then SLN14 is required
6. SLN15 C1516 -- If SLN15 is present, then SLN16 is required
7. SLN17 C1718 -- If SLN17 is present, then SLN18 is required
8. SLN19 C1920 -- If SLN19 is present, then SLN20 is required
9. SLN21 C2122 -- If SLN21 is present, then SLN22 is required
10. SLN23 C2324 -- If SLN23 is present, then SLN24 is required
11. SLN25 C2526 -- If SLN25 is present, then SLN26 is required
12. SLN27 C2728 -- If SLN27 is present, then SLN28 is required

Semantics:

1. SLN01 is the identifying number for the subline item.
2. SLN02 is the identifying number for the subline level. The subline level is analogous to the level code used in a bill of materials.

Comments:

1. See the Data Dictionary for a complete list of ID's.
2. SLN01 is related to (but not necessarily equivalent to) the baseline item number. Example: 1.1 or 1A might be used as a subline number to relate to baseline number 1.
3. SLN09 through SLN28 provide for ten (10) different product/service ID's for each item. For example: Case, Color, Drawing No., UPC No., ISBN No., Model No., SKU.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SLN01	350	Assigned Identification Description: Alphanumeric characters assigned for differentiation within a transaction set.	M	AN	1/11	Must use
* SLN02	350	Assigned Identification Description: Alphanumeric characters assigned for differentiation within a transaction set.	O	AN	1/11	Not used
SLN03	661	Configuration Code Description: Code indicating the relationship of the subline item to the baseline item.	M	ID	1/1	Must use
		<u>Code</u> <u>Name</u>				
		I Included				
SLN04	380	Quantity Description: Numeric value of quantity.	M	R	1/15	Must use
Baxter Note: <i>Default value is 1.</i>						

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SLN05	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	M	ID	2/2	Must use
		<u>Code</u> <u>Name</u>				
		CA Case				
* SLN06	212	Unit Price Description: Price per unit of product, service, commodity, etc.	C	R	1/14	Not used
* SLN07	639	Basis of Unit Price Code Description: Code identifying the type of unit price for an item. All valid standard codes are used.	O	ID	2/2	Not used
* SLN08	662	Price Relationship Code Description: Code indicating the relationship of the price or amount to the associated segment. All valid standard codes are used.	O	ID	1/1	Not used
* SLN09	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* SLN10	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* SLN11	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* SLN12	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* SLN13	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* SLN14	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* SLN15	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* SLN16	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* SLN17	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* SLN18	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* SLN19	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number	O	ID	2/2	Not used

Hospital Custom Price List

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		used in Product/Service ID (234). All valid standard codes are used.				
* SLN20	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* SLN21	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* SLN22	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* SLN23	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* SLN24	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* SLN25	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* SLN26	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used
* SLN27	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234). All valid standard codes are used.	O	ID	2/2	Not used
* SLN28	234	Product/Service ID Description: Identifying number for a product or service.	C	AN	1/30	Not used

DTM Date/Time Reference

Pos: 030	Max: 10
Detail - Optional	
Loop: LIN	Elements: 5

To specify pertinent dates and times

Syntax:

- DTM02 R0203 -- At least one of DTM02 or DTM03 is required.

Baxter Note:

There will be two occurrences of the DTM segment to specify both effective and expiration dates for the product/price.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>						
DTM01	374	Date/Time Qualifier Description: Code specifying type of date or time, or both date and time.	M	ID	3/3	Must use						
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>007</td> <td>Effective Baxter Note: <i>Date on which price becomes effective.</i></td> </tr> <tr> <td>036</td> <td>Expiration Description: Date coverage expires Baxter Note: <i>Date on which price expires.</i></td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	007	Effective Baxter Note: <i>Date on which price becomes effective.</i>	036	Expiration Description: Date coverage expires Baxter Note: <i>Date on which price expires.</i>				
<u>Code</u>	<u>Name</u>											
007	Effective Baxter Note: <i>Date on which price becomes effective.</i>											
036	Expiration Description: Date coverage expires Baxter Note: <i>Date on which price expires.</i>											
DTM02	373	Date Description: Date (YYMMDD).	C	DT	6/6	Used						
* DTM03	337	Time Description: Time expressed in 24-hour clock time (HHMMSS) (Time range: 000000 through 235959)	C	TM	4/6	Not used						
* DTM04	623	Time Code Description: Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time. Since + is a restricted character, + and - are substituted by P and M in the codes that follow. All valid standard codes are used.	O	ID	2/2	Not used						
* DTM05	624	Century Description: The first two characters in the designation of the year (CCYY).	O	N0	2/2	Not used						

REF Reference Numbers

Pos: 040	Max: 12
Detail - Optional	
Loop: LIN	Elements: 3

To specify identifying numbers.

Syntax:

1. REF02 R0203 -- At least one of REF02 or REF03 is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
REF01	128	Reference Number Qualifier Description: Code qualifying the Reference Number.	M	ID	2/2	Must use				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>CT</td> <td>Contract Number</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	CT	Contract Number				
<u>Code</u>	<u>Name</u>									
CT	Contract Number									
REF02	127	Reference Number Description: Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier. Baxter Note: <i>This field will contain Baxter's Agreement ID (contract number).</i>	C	AN	1/30	Used				
* REF03	352	Description Description: A free-form description to clarify the related data elements and their content.	C	AN	1/80	Not used				

PID Product/Item Description

Pos: 070	Max: 200
Detail - Optional	
Loop: LIN	Elements: 8

To describe a product or process in coded or free-form format

Syntax:

1. PID04 C0403 -- If PID04 is present, then PID03 is required
2. PID04 R0405 -- At least one of PID04 or PID05 is required.
3. PID07 C0703 -- If PID07 is present, then PID03 is required
4. PID08 C0803 -- If PID08 is present, then PID03 is required

Semantics:

1. Use PID03 to indicate the organization that publishes the code list being referred to.
2. PID04 should be used for industry-specific product description codes.
3. PID08 describes the physical characteristics of the product identified in PID04. A ``Y" indicates that the specified attribute applies to this item. A ``N" indicates it does not apply. Any other value is indeterminate.

Comments:

1. If PID01 = ``F", then PID05 is used. If PID01 = ``S", then PID04 is used. If PID01 = ``X", then both PID04 and PID05 are used.
2. Use PID06 when necessary to refer to the product surface or layer being described in the segment.
3. PID07 specifies the individual code list of the agency specified in PID03.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
PID01	349	Item Description Type Description: Code indicating the format of a description.	M	ID	1/1	Must use				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>F</td> <td>Free-form</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	F	Free-form				
<u>Code</u>	<u>Name</u>									
F	Free-form									
* PID02	750	Product/Process Characteristic Code Description: Code identifying the general class of a product or process characteristic All valid standard codes are used.	O	ID	2/3	Not used				
* PID03	559	Agency Qualifier Code Description: Code identifying the agency assigning the code values. All valid standard codes are used.	C	ID	2/2	Not used				
* PID04	751	Product Description Code Description: A code from an industry code list which provides specific data about a product characteristic.	C	AN	1/12	Not used				
PID05	352	Description Description: A free-form description to clarify the related data elements and their content. Baxter Note: <i>Baxter's internal product description.</i>	C	AN	1/80	Used				
* PID06	752	Surface/Layer/Position Code Description: Code indicating the product surface, layer or position that is being described. All valid standard codes are used.	O	ID	2/2	Not used				

Hospital Custom Price List

Price/Sales Catalog - 832

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
* PID07	822	Source Subqualifier Description: A reference that indicates the table or text maintained by the Source Qualifier.	O	AN	1/15	Not used
* PID08	1073	Yes/No Condition or Response Code Description: Code indicating a Yes or No condition or response. All valid standard codes are used.	O	ID	1/1	Not used

CTP Pricing Information

Pos: 170	Max: 1
Detail - Optional	
Loop: CTP	Elements: 8

To specify pricing information

Syntax:

1. CTP04 C0405 -- If CTP04 is present, then CTP05 is required
2. CTP06 C0607 -- If CTP06 is present, then CTP07 is required

Semantics:

1. CTP07 is a multiplier factor to arrive at a final discounted price. A multiplier of .90 would be the factor if a 10% discount is given.
2. CTP08 is the rebate amount.

Comments:

1. See Figures Appendix for an example detailing the use of CTP03 and CTP04.
2. See Figures Appendix for an example detailing the use of CTP03, CTP04 and CTP07.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
* CTP01	687	Class of Trade Code Description: Code indicating class of trade. All valid standard codes are used.	O	ID	2/2	Not used
* CTP02	236	Price Identifier Code Description: Code identifying pricing specification. All valid standard codes are used.	O	ID	3/3	Not used
CTP03	212	Unit Price Description: Price per unit of product, service, commodity, etc. Baxter Note: Price will be the current Baxter contract price. Price amount will have 4 decimal places.	O	R	1/14	Used
CTP04	380	Quantity Description: Numeric value of quantity. Baxter Note: Default value is 1.	O	R	1/15	Used
CTP05	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	C	ID	2/2	Used
		<u>Code</u> <u>Name</u>				
		CA Case				
* CTP06	648	Price Multiplier Qualifier Description: Code indicating the type of price multiplier. All valid standard codes are used.	O	ID	3/3	Not used
* CTP07	649	Multiplier Description: Value to be used as a multiplier to obtain a new value	C	R	1/10	Not used
* CTP08	782	Monetary Amount	O	R	1/15	Not

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
------------	-----------	---------------------	------------	-------------	----------------	--------------

Description: Monetary amount.

used

N1

Name

Pos: 230	Max: 1
Detail - Optional	
Loop: N1	Elements: 4

To identify a party by type of organization, name and code

Syntax:

1. N102 R0203 -- At least one of N102 or N103 is required.
2. N103 P0304 -- If either N103 or N104 are present, then the others are required.

Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
N101	98	Entity Identifier Code Description: Code identifying an organizational entity, a physical location, or an individual	M	ID	2/2	Must use				
		<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>MF</td> <td>Manufacturer of Goods</td> </tr> </tbody> </table>	<u>Code</u>	<u>Name</u>	MF	Manufacturer of Goods				
<u>Code</u>	<u>Name</u>									
MF	Manufacturer of Goods									
N102	93	Name Description: Free-form name. Baxter Note: <i>The name of the Baxter business unit which manufactures the product identified in the LIN segment.</i>	C	AN	1/35	Used				
* N103	66	Identification Code Qualifier Description: Code designating the system/method of code structure used for Identification Code (67). All valid standard codes are used.	C	ID	1/2	Not used				
* N104	67	Identification Code Description: Code identifying a party or other code.	C	AN	2/17	Not used				

CTT Transaction Totals

Pos: 010	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 7

To transmit a hash total for a specific element in the transaction set

Syntax:

1. CTT03 C0304 -- If CTT03 is present, then CTT04 is required
2. CTT05 C0506 -- If CTT05 is present, then CTT06 is required

Comments:

1. This segment is intended to provide hash totals to validate transaction completeness and correctness.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items Description: Total number of line items in the transaction set.	M	N0	1/6	Must use
* CTT02	347	Hash Total Description: Sum values of the specified data element. All values in the data element will be summed without regard to decimal points (explicit or implicit) or signs. Truncation will occur on the left most digits if the sum is greater than the maximum size of the hash total of the data element. (See Figures Appendix for an example detailing the use of this data element.)	O	R	1/10	Not used
* CTT03	81	Weight Description: Numeric value of weight.	O	R	1/10	Not used
* CTT04	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken All valid standard codes are used.	C	ID	2/2	Not used
* CTT05	183	Volume Description: Value of volumetric measure.	O	R	1/8	Not used
* CTT06	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken All valid standard codes are used.	C	ID	2/2	Not used
* CTT07	352	Description Description: A free-form description to clarify the related data elements and their content.	O	AN	1/80	Not used

SE

Transaction Set Trailer

Pos: 020	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments).

Comments:

- SE is the last segment of each transaction set.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments Description: Total number of segments included in a transaction set including ST and SE segments.	M	N0	1/10	Must use
SE02	329	Transaction Set Control Number Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M	AN	4/9	Must use